


Form - IV
(See rule 13)
ANNUAL REPORT



[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Sumit Khataja
	(ii) Name of HCF or CBMWTF	:	Akzonobel India Limited
	(iii) Address for Correspondence	:	AkzoNobel India Ltd, 62P,62B,62A,43E, Hoskote Industrial Area, Bangalore Pin: 562 114 Karnataka - India
	(iv) Address of Facility	:	AkzoNobel India Ltd, 62P,62B,62A,43E, Hoskote Industrial Area, Bangalore Pin: 562 114 Karnataka - India
	(v) Tel. No, Fax. No	:	T +91 80 71717122
	(vi) E-mail ID	:	
	(vii) URL of Website	:	http://www.akzonobel.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: No.154704/KSPCB/Hoskote/BM W/2018-

		2019/963..... valid up to30/11/2019.....
	(xi). Status of Consents under Water Act and Air Act	: Valid up to: 30th June 2021
2.	Type of Health Care Facility	: clinic
	(i) Bedded Hospital	: No. of Beds:.....01
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:
	(iii) License number and its date of expiry	-
3.	Details of CBMWTF	:
	(i) Number healthcare facilities covered by CBMWTF	: 1
	(ii) No of beds covered by CBMWTF	: 1
	(iii) Installed treatment and disposal capacity of CBMWTF:	: 0.05 Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	$\frac{0.2}{\text{Kg/day}}$
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 0.01
			Red Category : 0.01
			White: 0.001
			Blue Category : 0.02
			General Solid waste:0.5
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
(i) Details of the on-site storage facility	:	Size	7*10 sq. ft
		Capacity	:1 bed
		Provision of on-site storage	: (cold storage or any other provision)
(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units
			Capacity
			Quantity treated or disposed in kg per annum
		Incinerators	-
		Plasma Pyrolysis	-
		Autoclaves	-
		Microwave	-
		Hydroclave	-
		Shredder	-
		Needle tip cutter or destroyer	-
		Sharps encapsulation or concrete pit	-


		Deep burial pits: Chemical disinfection: Any other treatment equipment:
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	N/A
(iv) No of vehicles used for collection and transportation of biomedical waste	:	1
(v) Details of incineration ash and ETP sludge generated and disposed		Quantity generated Where disposed

	during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	
	(vii) List of member HCF not handed over bio-medical waste.		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		yes
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		1
	(ii) number of personnel trained		3
	(iii) number of personnel trained at the time of induction		3
	(iv) number of personnel not undergone any training so far		
	(v) whether standard manual for training is available?		
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air		

	Pollution from the incinerator? How many times in last year could not meet the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4		

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from(Jan'2017 to Dec'2017



Name and Signature of the Head of the Institution

Date:30/11/2018

Place:Bangalore

